

Link-Based
Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

Using Rank Propagation and Probabilistic Counting for Link-based Spam Detection

Luca Becchetti¹, Carlos Castillo¹, Debora Donato¹,
Stefano Leonardi¹ and Ricardo Baeza-Yates²

1. Università di Roma "La Sapienza" – Rome, Italy
2. Yahoo! Research – Barcelona, Spain and Santiago, Chile

May 19th, 2006

Link-Based
Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

Link-Based Spam Detection

L. Becchetti, C. Castillo, D. Donato, S. Leonardi and R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

What is on the Web?

Link-Based Spam Detection

L. Becchetti, C. Castillo, D. Donato, S. Leonardi and R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Information + Porn + On-line casinos + Free movies + Cheap software + Buy a MBA diploma + Prescription -free drugs + V!-4-gra + Get rich now now now!!!



Graphic: www.milliondollarhomepage.com

Web spam (keywords + links)

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

side effects, at strength of erection viagra levitra cialis, discount viagra buy viagra buy viagra viagradrugs.net, to cialis lawsuit, dirt cheap viagra, in sex discount cialis generic cialis bluepilled.com, herbal alternative viagra, for cialis marijuana, sublingual viagra.

Viagra users, will viagra facts cialis line prescription, buy viagra online viagra side effects natural alternative viagra, has cialis generic viagra generic cialis cialis cum-with-us.com, viagra discount, this brand name cialis, herbal viagra alternative free viagra buying deal viagradrugs.net cheapest price viagra cheap viagra uk free viagra viagra online pills pills viagradrugs.net, silagra weight loss generic viagra cialis cum-with-us.com, viagra blindness viagra prescription.

Amsterdam viagra sexshops viagra prescription for woman viagra online pharmacy, is cialis ordering online, viagra suppliers cocaine and viagra sex experiences viagra generico impotencia, cialis official website, viagra cheap generic cheap viagra natural viagra, will ciali, whats the chemical name for the drug viagra, are cialis and grapefruit, homemade viagra, has herbal cialis, strength of erection viagra levitra cialis.

Viagra for women, has viagra cost lowest prices viagra, at cialis eli lilly, non prescription viagra, am cialis on line, viagra for women viagra expiration cialis fda approval, compare viagra and levitra viagra discount viagra cialis levitra, viagra online cheap cialis no prescription, 180 mg viagra levitra vs viagra uk viagra viagra sample, am generic cialis minuteviagra cum-with-us.com, free viagra online.

Herbal viagra samples, to order viagra visit your doctor online viagra substitute side effects from viagra cheapest price viagra, by cialis soft tab, mail order viagra, for cialis store, british viagra, is cialis fedex overnight, viagra suppliers cialis herbalsubstitute.com, whats the chemical name for the drug viagra herbal viagra viagra info

- ◆ [generic viagra](#)
- ◆ [buy viagra](#)
- ◆ [viagra alternative](#)
- ◆ [herbal viagra](#)
- ◆ [cheap viagra](#)
- ◆ [viagra online](#)
- ◆ [buy viagra online](#)
- ◆ [order viagra](#)
- ◆ [order viagra online](#)
- ◆ [Viagra](#)
- ◆ [natural viagra](#)
- ◆ [viagra pill](#)
- ◆ [free viagra samples](#)
- ◆ [discount viagra](#)
- ◆ [female viagra](#)
- ◆ [viagra](#)

Web spam (mostly keywords)

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

[smart movie converter 2.72 registration key as nokia6600](#)

crac diablo2, kontakt 2 .exe, download crack norton 2006 online, downloand snagit, telecharger canopu nothing else mather/ lyric, silent hill 3 no-dvd crack, Protocol v7 Update-Vengeance.rar download, kn windows validation crack download

ftp downloads spanish,

[download counter strike 1.5](#)

total commander hack, key generator for easy cd-da extractor v9, fine rider

free gemu,

plus superpack key, 8.0, download demo fifa street pc, soundtrack

telecharger

crack de need ford, moulin rouge free mp3, crazy froog popcorn, Utah

cdkeys, care day

speed underground, Saints - Take On The Theme From Mortal Kombat

home question,

manual diablo 2, mp3, cunter-strike password, download free game

Remote S60

Rapture_dhol_mix.mp3, sex, SYSTEM OF DOWN DIRECTORY

software

advance 3gp convertor, PARENT MPEG

cracked, nt print

pacific assault torrent,

server,

Fruity Loops 4.5.1 wifi download key generator wap, speedstream

SWF2Video

Demo, russian mohaa feature activation, command conquer generals key

Plugin for

skin, telechargement de gens, nerovision directx9.0 download, swift 3D trial

Adobe Premiere

crack battlefield 2 cracks, winamp crack licens, mobil msn sis, nero

Pro cracked, ps2

burning room 6.0.0.19, Deep Silver Keygen, the

secret code

the sims makin ` magik exploration pack Flash Get,

download

DesktopX) 3.1 (keygen lserial, application

webcam

architecture control, download ogc quake3

lv-c300,

Search engine?

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

Bookmark Home
Page Home

SOFT SEARCH

Top Searches:

- ✳ Acne
- ✳ Weight Loss Pills
- ✳ Debt Consolidation
- ✳ Loan
- ✳ Domain Names
- ✳ Advertising
- ✳ Online Pharmacy
- ✳ Home Loan
- ✳ Dedicated Server
- ✳ Car Rental
- ✳ Adpex
- ✳ Levitra
- ✳ Online Poker
- ✳ Work At Home
- ✳ Propecia
- ✳ Consolidate Debt
- ✳ Mortgage Rates
- ✳ Online Craps
- ✳ Vegas Casinos
- ✳ Buy Ionamin



lava soft php script top soft java script MP3

Top Web Results

Results 1-16 containing "sports book"

1. **Place Your Bet with #1 Sports Betting Site Online**
Kentucky Derby, NBA, MLB, NHL and all other sports betting and odds. Place a full ran sportsbook in North America
<http://www.sportsinteraction.com>
2. **AnteUp GamblingLinks.com - Safe Online Casinos**
Links to safe and secure online casino gambling and sports betting including reviews, ne
<http://gamblinglinks.com>
3. **Free Casino Bonuses. Links To the Best Casinos**
Get \$20 - \$500 in Free Chips. Most popular casino games with great graphics. Play for f rules and strategy. Links to the Best Casinos
<http://www.fastfreecash.net>
4. **AnteUp GamblingLinks.com - Safe Online Casinos**

Fake search engine

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

→ Bookmark → Home Page → Home

SOFT SEARCH

Top Searches:

- ✳ Canadian Pharmacy
- ✳ Debt Consolidation
- ✳ Online Loan
- ✳ Diet
- ✳ Credit Reports
- ✳ Online Poker
- ✳ Xenical
- ✳ Buy Ionamin
- ✳ Diet Pills
- ✳ Online Craps
- ✳ DirecTV
- ✳ Life Insurance
- ✳ Dedicated Server
- ✳ Car Insurance
- ✳ Buy Phentermine
- ✳ Debt
- ✳ Weight Loss Pills
- ✳ Pay Day Loans
- ✳ Home Loan
- ✳ Refinance



lava soft php script top soft java script MP3

Top Web Results

Results 1-16 containing "1293kasd132ka0sd1kj239asd123"

1. **A Real Work At Home Business Opportunity!**
Free Home Business Match Up Service! We have helped 1000's of people make \$5,00
<http://gozing.directtrack.com/z/1198/CD2127/>
2. **Exotic Holiday - Find Your Love**
Exotic holiday is great way how to find love when you travel. Meet new people. Meet
<http://www.exotic-holiday.co.uk/>
3. **Image, Photo, Digital, Video and Movie software**
Find quality image management & digital asset software for your business. Also sc
<http://www.enterprise-software.co.uk>
4. **Renting a Birthday Party Limousine is Sexy**
What better way to surprise your loved one on their special day than with a birthday p
<http://partybusrental.info>

Problem: "normal" pages that are spam

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Website design, management, marketing and promotion

If you are searching for any of the following topics:

- ◆ [Website design, management, marketing and promotion.](#)
- ◆ [Website design, management, marketing and promotion resources.](#)
- ◆ [Website design, management, marketing and promotion related topics.](#)
- ◆ [Website design, management, marketing and promotion services.](#)

Look No further. You'll find it at [Website design, management, marketing and promotion!](#)

Website design, management, marketing and promotion is the key to your needs. You're one step ahead with Dry Media.

Website design, management, marketing and promotion brought to you by Dry Media, the leaders in this field.

At [the Website design, management, marketing and promotion web site](#), you'll discover an easy to use, information packed source of data on Website design, management, marketing and promotion.

[Click Here to Learn More about Website design, management, marketing and promotion.](#)

Link farms

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures


PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions



Single-level farms can be detected by searching groups of nodes sharing their out-links [Gibson et al., 2005]

Motivation

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

[Fetterly et al., 2004] hypothesized that studying the distribution of statistics about pages could be a good way of detecting spam pages:

“in a number of these distributions, outlier values are associated with web spam”

Research goal

Statistical analysis of link-based spam

Metrics

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Graph algorithms

All shortest paths, centrality, betweenness, clustering coefficient...

Streamed algorithms

Breadth-first and depth-first search

Count of neighbors

Symmetric algorithms

(Strongly) connected components

Approximate count of neighbors

PageRank, Truncated PageRank, Linear Rank

HITS, Salsa, TrustRank

Test collection

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

U.K. collection

18.5 million pages downloaded from the .UK domain

5,344 hosts manually classified (6% of the hosts)

Classified entire hosts:

- ✓ **A few hosts are mixed:** spam and non-spam pages
- ✗ **More coverage:** sample covers 32% of the pages

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

Edge reciprocity

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Reciprocity of max. PR page $\delta = 0.35$



Assortativity

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Degree / Degree of neighbors $\delta = 0.31$



Automatic classifier

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

All of the following attributes in the home page and the page with the maximum PageRank, plus a binary variable indicating if they are the same page:

- In-degree, out-degree
- Fraction of reciprocal edges
- Degree divided by degree of direct neighbors
- Average and sum of in-degree of out-neighbors
- Average and sum of out-degree of in-neighbors

Decision tree

72.6% of detection rate, with 3.1% false positives

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank**
- 4 TrustRank
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

PageRank

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Let $\mathbf{P}_{N \times N}$ be the normalized link matrix of a graph

- Row-normalized
- No “sinks”

Definition (PageRank)

Stationary state of:

$$\alpha \mathbf{P} + \frac{(1 - \alpha)}{N} \mathbf{1}_{N \times N}$$

- Follow links with probability α
- Random jump with probability $1 - \alpha$

Maximum PageRank in the Host

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Maximum PageRank of the site $\delta = 0.23$



Variance of PageRank

Suggested in [Benczúr et al., 2005]

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures


PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions



Variance of PageRank of in-neighbors

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Stdev. of PR of Neighbors (Home) $\delta = 0.41$



Automatic classifier

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Features: degree-based plus the following in the home page and the page with maximum PageRank:

- PageRank
- In-degree/PageRank
- Out-degree/PageRank
- Standard deviation of PageRank of in-neighbors = σ^2
- σ^2 /PageRank

Plus the PageRank of the home page divided by the PageRank of the page with the maximum PageRank.

Decision tree

74.4% of detection rate, with 2.6% false positives
(Degree-based: 72.6% of detection, 3.1% false positives)

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank**
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

TrustRank

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

TrustRank [Gyöngyi et al., 2004]

A node with high PageRank, but far away from a core set of “trusted nodes” is suspicious

Start from a set of trusted nodes, then do a random walk, returning to the set of trusted nodes with probability $1 - \alpha$ at each step

 Trusted nodes: data from <http://www.dmoz.org/>

TrustRank score

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

TrustRank score of home page $\delta = 0.59$



TrustRank / PageRank

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Estimated relative non-spam mass $\delta = 0.59$



Automatic classifier

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

PageRank attributes, plus the following in the home page and the page with maximum PageRank:

- TrustScore
- TrustScore/PageRank (estimated relative non-spam mass)
- TrustScore/In-degree

Plus the TrustScore in the home page divided by the TrustScore in the page with the maximum PageRank.

Decision tree

77.3% of detection rate, with 3.0% false positives
(PageRank-based: 74.4% of detection, 2.6% false positives)

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank
- 5 **Truncated PageRank**
- 6 Counting supporters
- 7 Conclusions

Path-based formula for PageRank

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Given a path $p = \langle x_1, x_2, \dots, x_t \rangle$ of length $t = |p|$

$$\text{branching}(p) = \frac{1}{d_1 d_2 \cdots d_{t-1}}$$

where d_i are the out-degrees of the members of the path

Explicit formula for PageRank [Newman et al., 2001]

$$r_i(\alpha) = \sum_{p \in \text{Path}(-, i)} \frac{(1 - \alpha)\alpha^{|p|}}{N} \text{branching}(p)$$

$\text{Path}(-, i)$ are incoming paths in node i

General functional ranking

Link-Based
Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

In general:

$$r_i(\alpha) = \sum_{p \in \text{Path}(-, i)} \frac{\text{damping}(|p|)}{N} \text{branching}(p)$$

There are many choices for $\text{damping}(|p|)$, including simply a linear function that is as good as PageRank in practice [Baeza-Yates et al., 2006]

Truncated PageRank

Link-Based
Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank


TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

Reduce the direct contribution of the first levels of links:



$$\text{damping}(t) = \begin{cases} 0 & t \leq T \\ C\alpha^t & t > T \end{cases}$$

✓ No extra reading of the graph after PageRank

Truncated PageRank(T=2) / PageRank

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

TruncatedPageRank T=2 / PageRank $\delta = 0.30$



Max. change of Truncated PageRank

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Maximum change of Truncated PageRank $\delta = 0.29$



Automatic classifier

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

PageRank attributes, plus the following in the home page and the page with maximum PageRank:

- $\text{TruncPageRank}(T = 1 \dots 4)$
- $\text{TruncPageRank}(T = 4) / \text{TruncPageRank}(T = 3)$
- $\text{TruncPageRank}(T = 3) / \text{TruncPageRank}(T = 2)$
- $\text{TruncPageRank}(T = 2) / \text{TruncPageRank}(T = 1)$
- $\text{TruncPageRank}(T = 1 \dots 4) / \text{PageRank}$
- Minimum, maximum and average of:
 $\text{TruncPageRank}(T = i) / \text{TruncPageRank}(T = i - 1)$

Plus the $\text{TruncatedPageRank}(T = 1 \dots 4)$ of the home page divided by the same value in the page with the maximum PageRank.

Decision tree

76.9% of detection rate, with 2.5% false positives
(TrustRank-based: 77.3% of detection, 3.0% false positives)

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

Idea: count “supporters” at different distances

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank


Truncated PageRank

Counting supporters

Conclusions


Number of different nodes at a given distance:

.UK 18 mill. nodes



Average distance
14.9 clicks

.EU.INT 860,000 nodes



Average distance
10.0 clicks

High and low-ranked pages are different

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures


PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions



Areas below the curves are equal if we are in the same strongly-connected component

Probabilistic counting

Link-Based
Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures


PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions



Improvement of ANF algorithm [Palmer et al., 2002] based on probabilistic counting [Flajolet and Martin, 1985]

General algorithm

Link-Based
Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

Require: N: number of nodes, d: distance, k: bits

- 1: **for** node : 1 ... N, bit: 1 ... k **do**
- 2: INIT(node,bit)
- 3: **end for**
- 4: **for** distance : 1 ... d **do** {Iteration step}
- 5: Aux $\leftarrow \mathbf{0}_k$
- 6: **for** src : 1 ... N **do** {Follow links in the graph}
- 7: **for all** links from src to dest **do**
- 8: Aux[dest] \leftarrow Aux[dest] OR V[src,.]
- 9: **end for**
- 10: **end for**
- 11: V \leftarrow Aux
- 12: **end for**
- 13: **for** node: 1 ... N **do** {Estimate supporters}
- 14: Supporters[node] \leftarrow ESTIMATE(V[node,.])
- 15: **end for**
- 16: **return** Supporters

Our estimator

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Initialize all bits to one with probability ϵ

$$\text{Estimator: neighbors}(node) = \log_{(1-\epsilon)} \left(1 - \frac{\text{ones}(node)}{k} \right)$$

Adaptive estimation

Repeat the above process for $\epsilon = 1/2, 1/4, 1/8, \dots$, and look for the transitions from more than $(1 - 1/e)k$ ones to less than $(1 - 1/e)k$ ones.

Convergence

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures


PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions



Error rate

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures


PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions



Hosts at distance 4

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures


PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions



Minimum change of supporters

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank


TrustRank

Truncated PageRank

Counting supporters

Conclusions

Minimum change of supporters $\delta = 0.39$



Automatic classifier

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

PageRank attributes, plus the following in the home page and the page with maximum PageRank:

- Supporters at 2...4
- Supporters at 2...4 / PageRank
- Supporters at i / Supporters at $i - 1$ (for $i = 1..4$)
- Minimum, maximum and average of: Supporters at i / Supporters at $i - 1$ (for $i = 1..4$)
- (Supporters at i - Supporters at $i - 1$) / PageRank

Plus the number of supporters at distance 2...4 in the home page divided by the same feature in the page with the maximum PageRank.

Decision tree

78.9% of detection rate, with 2.5% false positives
(TruncPR: 76.9% of detection, 2.5% false positives)
(TrustRank: 77.7% of detection, 3.0% false positives)

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- 1 Motivation
- 2 Degree-based measures
- 3 PageRank
- 4 TrustRank
- 5 Truncated PageRank
- 6 Counting supporters
- 7 Conclusions

Summary of classifiers

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

Metrics	Detection rate	False positives
Degree (D)	72.6%	3.1%
D + PageRank (P)	74.4%	2.6%
D + P + TrustRank	77.7%	3.0%
D + P + Trunc. PageRank	76.9%	2.5%
D + P + Est. of Supporters	78.9%	2.5%
All attributes	81.4%	2.8%
All attributes (more rules)	80.8%	1.1%

Comparison

Content-based analysis [Ntoulas et al., 2006] has shown 86.2% detection rate with 2.2% false positives

Single-attribute classifier with TrustRank

[Gyöngyi et al., 2004]: 51.1% detection rate, 3.4% error in our sample – SpamRank [Benczúr et al., 2005] reports similar detection rates

Top 10 metrics

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

1. Binary variable indicating if homepage is the page with maximum PageRank of the site
2. Edge reciprocity
3. Different hosts at distance 4
4. Different hosts at distance 3
5. Minimum change of supporters (different hosts)
6. Different hosts at distance 2
7. TruncatedPagerank (T=1) / PageRank
8. TrustRank score divided by PageRank
9. Different hosts at distance 1
10. TruncatedPagerank (T=2) / PageRank

Conclusions

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based measures

PageRank

TrustRank

Truncated PageRank

Counting supporters

Conclusions

- Link-based statistics to detect 80% of spam
- No magic bullet in link analysis
- Precision still low compared to e-mail spam filters
- Measure both home page and max. PageRank page
- Host-based counts are important

Next step: combine link analysis and content analysis

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions

Thank you!

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions



Baeza-Yates, R., Boldi, P., and Castillo, C. (2006).

Generalizing pagerank: Damping functions for link-based ranking algorithms.

In *Proceedings of SIGIR*, Seattle, Washington, USA. ACM Press.



Becchetti, L., Castillo, C., Donato, D., Leonardi, S., and Baeza-Yates, R. (2006).

Using rank propagation and probabilistic counting for link-based spam detection.

Technical report, DELIS – Dynamically Evolving, Large-Scale Information Systems.



Benczúr, A. A., Csalogány, K., Sarlós, T., and Uher, M. (2005).

Spamrank: fully automatic link spam detection.

In *Proceedings of the First International Workshop on Adversarial Information Retrieval on the Web*, Chiba, Japan.

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions



Fetterly, D., Manasse, M., and Najork, M. (2004).

Spam, damn spam, and statistics: Using statistical analysis to locate spam web pages.

In *Proceedings of the seventh workshop on the Web and databases (WebDB)*, pages 1–6, Paris, France.



Flajolet, P. and Martin, N. G. (1985).

Probabilistic counting algorithms for data base applications.

Journal of Computer and System Sciences, 31(2):182–209.



Gibson, D., Kumar, R., and Tomkins, A. (2005).

Discovering large dense subgraphs in massive graphs.

In *VLDB '05: Proceedings of the 31st international conference on Very large data bases*, pages 721–732. VLDB Endowment.

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions



Gyöngyi, Z., Molina, H. G., and Pedersen, J. (2004).

Combating web spam with trustrank.

In *Proceedings of the Thirtieth International Conference on Very Large Data Bases (VLDB)*, pages 576–587, Toronto, Canada. Morgan Kaufmann.



Newman, M. E., Strogatz, S. H., and Watts, D. J. (2001).

Random graphs with arbitrary degree distributions and their applications.

Phys Rev E Stat Nonlin Soft Matter Phys, 64(2 Pt 2).



Ntoulas, A., Najork, M., and Manasse, M. a. (2006).

Detecting spam web pages through content analysis.

In *To appear in proceedings of the World Wide Web conference*, Edinburgh, Scotland.

Link-Based Spam Detection

L. Becchetti,
C. Castillo,
D. Donato,
S. Leonardi and
R. Baeza-Yates

Motivation

Degree-based
measures

PageRank

TrustRank

Truncated
PageRank

Counting
supporters

Conclusions



Palmer, C. R., Gibbons, P. B., and Faloutsos, C. (2002).
ANF: a fast and scalable tool for data mining in massive
graphs.

*In Proceedings of the eighth ACM SIGKDD international
conference on Knowledge discovery and data mining, pages
81–90, New York, NY, USA. ACM Press.*